


Headless Screws

Code	Products Description	Size	Material	Remark	Pic
28425010	Cannulated Headless Screw-(type I)	2.5 x 10mm	TA	guide wire: 0.8mm	
28425011	Cannulated Headless Screw-(type I)	2.5 x 11mm	TA	guide wire: 0.8mm	
28425012	Cannulated Headless Screw-(type I)	2.5 x 12mm	TA	guide wire: 0.8mm	
28425013	Cannulated Headless Screw-(type I)	2.5 x 13mm	TA	guide wire: 0.8mm	
28425014	Cannulated Headless Screw-(type I)	2.5 x 14mm	TA	guide wire: 0.8mm	
28425015	Cannulated Headless Screw-(type I)	2.5 x 15mm	TA	guide wire: 0.8mm	
28425016	Cannulated Headless Screw-(type I)	2.5 x 16mm	TA	guide wire: 0.8mm	
28425017	Cannulated Headless Screw-(type I)	2.5 x 17mm	TA	guide wire: 0.8mm	
28425018	Cannulated Headless Screw-(type I)	2.5 x 18mm	TA	guide wire: 0.8mm	
28425019	Cannulated Headless Screw-(type I)	2.5 x 19mm	TA	guide wire: 0.8mm	
28425020	Cannulated Headless Screw-(type I)	2.5 x 20mm	TA	guide wire: 0.8mm	
28425021	Cannulated Headless Screw-(type I)	2.5 x 21mm	TA	guide wire: 0.8mm	
28425022	Cannulated Headless Screw-(type I)	2.5 x 22mm	TA	guide wire: 0.8mm	
28425023	Cannulated Headless Screw-(type I)	2.5 x 23mm	TA	guide wire: 0.8mm	
28425024	Cannulated Headless Screw-(type I)	2.5 x 24mm	TA	guide wire: 0.8mm	
28425025	Cannulated Headless Screw-(type I)	2.5 x 25mm	TA	guide wire: 0.8mm	
28425026	Cannulated Headless Screw-(type I)	2.5 x 26mm	TA	guide wire: 0.8mm	
28425027	Cannulated Headless Screw-(type I)	2.5 x 27mm	TA	guide wire: 0.8mm	
28425028	Cannulated Headless Screw-(type I)	2.5 x 28mm	TA	guide wire: 0.8mm	
28425029	Cannulated Headless Screw-(type I)	2.5 x 29mm	TA	guide wire: 0.8mm	
28425030	Cannulated Headless Screw-(type I)	2.5 x 30mm	TA	guide wire: 0.8mm	
28425031	Cannulated Headless Screw-(type I)	2.5 x 31mm	TA	guide wire: 0.8mm	
28425032	Cannulated Headless Screw-(type I)	2.5 x 32mm	TA	guide wire: 0.8mm	
28425033	Cannulated Headless Screw-(type I)	2.5 x 33mm	TA	guide wire: 0.8mm	
28425034	Cannulated Headless Screw-(type I)	2.5 x 34mm	TA	guide wire: 0.8mm	
28425035	Cannulated Headless Screw-(type I)	2.5 x 35mm	TA	guide wire: 0.8mm	
28425036	Cannulated Headless Screw-(type I)	2.5 x 36mm	TA	guide wire: 0.8mm	
28425037	Cannulated Headless Screw-(type I)	2.5 x 37mm	TA	guide wire: 0.8mm	
28425038	Cannulated Headless Screw-(type I)	2.5 x 38mm	TA	guide wire: 0.8mm	

28425039	Cannulated Headless Screw-(type I)	2.5 x 39mm	TA	guide wire: 0.8mm
28425040	Cannulated Headless Screw-(type I)	2.5 x 40mm	TA	guide wire: 0.8mm
28430020	Cannulated Headless Screw-(type I)	3.0 x 20mm	TA	guide wire: 1.1mm
28430022	Cannulated Headless Screw-(type I)	3.0 x 22mm	TA	guide wire: 1.1mm
28430024	Cannulated Headless Screw-(type I)	3.0 x 24mm	TA	guide wire: 1.1mm
28430026	Cannulated Headless Screw-(type I)	3.0 x 26mm	TA	guide wire: 1.1mm
28430028	Cannulated Headless Screw-(type I)	3.0 x 28mm	TA	guide wire: 1.1mm
28430030	Cannulated Headless Screw-(type I)	3.0 x 30mm	TA	guide wire: 1.1mm
28430032	Cannulated Headless Screw-(type I)	3.0 x 32mm	TA	guide wire: 1.1mm
28430034	Cannulated Headless Screw-(type I)	3.0 x 34mm	TA	guide wire: 1.1mm
28430036	Cannulated Headless Screw-(type I)	3.0 x 36mm	TA	guide wire: 1.1mm
28430038	Cannulated Headless Screw-(type I)	3.0 x 38mm	TA	guide wire: 1.1mm
28430040	Cannulated Headless Screw-(type I)	3.0 x 40mm	TA	guide wire: 1.1mm
28435030	Cannulated Headless Screw-(type I)	3.5 x 30mm	TA	guide wire: 1.1mm
28435032	Cannulated Headless Screw-(type I)	3.5 x 32mm	TA	guide wire: 1.1mm
28435034	Cannulated Headless Screw-(type I)	3.5 x 34mm	TA	guide wire: 1.1mm
28435036	Cannulated Headless Screw-(type I)	3.5 x 36mm	TA	guide wire: 1.1mm
28435038	Cannulated Headless Screw-(type I)	3.5 x 38mm	TA	guide wire: 1.1mm
28435040	Cannulated Headless Screw-(type I)	3.5 x 40mm	TA	guide wire: 1.1mm
28435042	Cannulated Headless Screw-(type I)	3.5 x 42mm	TA	guide wire: 1.1mm
28435044	Cannulated Headless Screw-(type I)	3.5 x 44mm	TA	guide wire: 1.1mm
28435046	Cannulated Headless Screw-(type I)	3.5 x 46mm	TA	guide wire: 1.1mm
28435048	Cannulated Headless Screw-(type I)	3.5 x 48mm	TA	guide wire: 1.1mm
28435050	Cannulated Headless Screw-(type I)	3.5 x 50mm	TA	guide wire: 1.1mm
28435052	Cannulated Headless Screw-(type I)	3.5 x 52mm	TA	guide wire: 1.1mm
28435054	Cannulated Headless Screw-(type I)	3.5 x 54mm	TA	guide wire: 1.1mm
28435056	Cannulated Headless Screw-(type I)	3.5 x 56mm	TA	guide wire: 1.1mm
28435058	Cannulated Headless Screw-(type I)	3.5 x 58mm	TA	guide wire: 1.1mm
28435060	Cannulated Headless Screw-(type I)	3.5 x 60mm	TA	guide wire: 1.1mm
28440030	Cannulated Headless Screw-(type I)	4.0 x 30mm	TA	guide wire: 1.2mm
28440032	Cannulated Headless Screw-(type I)	4.0 x 32mm	TA	guide wire: 1.2mm
28440034	Cannulated Headless Screw-(type I)	4.0 x 34mm	TA	guide wire: 1.2mm
28440036	Cannulated Headless Screw-(type I)	4.0 x 36mm	TA	guide wire: 1.2mm
28440038	Cannulated Headless Screw-(type I)	4.0 x 38mm	TA	guide wire: 1.2mm
28440040	Cannulated Headless Screw-(type I)	4.0 x 40mm	TA	guide wire: 1.2mm



28440042	Cannulated Headless Screw-(type I)	4.0 x 42mm	TA	guide wire: 1.2mm
28440044	Cannulated Headless Screw-(type I)	4.0 x 44mm	TA	guide wire: 1.2mm
28440046	Cannulated Headless Screw-(type I)	4.0 x 46mm	TA	guide wire: 1.2mm
28440048	Cannulated Headless Screw-(type I)	4.0 x 48mm	TA	guide wire: 1.2mm
28440050	Cannulated Headless Screw-(type I)	4.0 x 50mm	TA	guide wire: 1.2mm
28440052	Cannulated Headless Screw-(type I)	4.0 x 52mm	TA	guide wire: 1.2mm
28440054	Cannulated Headless Screw-(type I)	4.0 x 54mm	TA	guide wire: 1.2mm
28440056	Cannulated Headless Screw-(type I)	4.0 x 56mm	TA	guide wire: 1.2mm
28440058	Cannulated Headless Screw-(type I)	4.0 x 58mm	TA	guide wire: 1.2mm
28440060	Cannulated Headless Screw-(type I)	4.0 x 60mm	TA	guide wire: 1.2mm
28445030	Cannulated Headless Screw-(type I)	4.5 x 30mm	TA	guide wire: 1.5mm
28445032	Cannulated Headless Screw-(type I)	4.5 x 32mm	TA	guide wire: 1.5mm
28445034	Cannulated Headless Screw-(type I)	4.5 x 34mm	TA	guide wire: 1.5mm
28445036	Cannulated Headless Screw-(type I)	4.5 x 36mm	TA	guide wire: 1.5mm
28445038	Cannulated Headless Screw-(type I)	4.5 x 38mm	TA	guide wire: 1.5mm
28445040	Cannulated Headless Screw-(type I)	4.5 x 40mm	TA	guide wire: 1.5mm
28445042	Cannulated Headless Screw-(type I)	4.5 x 42mm	TA	guide wire: 1.5mm
28445044	Cannulated Headless Screw-(type I)	4.5 x 44mm	TA	guide wire: 1.5mm
28445046	Cannulated Headless Screw-(type I)	4.5 x 46mm	TA	guide wire: 1.5mm
28445048	Cannulated Headless Screw-(type I)	4.5 x 48mm	TA	guide wire: 1.5mm
28445050	Cannulated Headless Screw-(type I)	4.5 x 50mm	TA	guide wire: 1.5mm
28445052	Cannulated Headless Screw-(type I)	4.5 x 52mm	TA	guide wire: 1.5mm
28445054	Cannulated Headless Screw-(type I)	4.5 x 54mm	TA	guide wire: 1.5mm
28445056	Cannulated Headless Screw-(type I)	4.5 x 56mm	TA	guide wire: 1.5mm
28445058	Cannulated Headless Screw-(type I)	4.5 x 58mm	TA	guide wire: 1.5mm
28445060	Cannulated Headless Screw-(type I)	4.5 x 60mm	TA	guide wire: 1.5mm
28445062	Cannulated Headless Screw-(type I)	4.5 x 62mm	TA	guide wire: 1.5mm
28445064	Cannulated Headless Screw-(type I)	4.5 x 64mm	TA	guide wire: 1.5mm
28445066	Cannulated Headless Screw-(type I)	4.5 x 66mm	TA	guide wire: 1.5mm
28445068	Cannulated Headless Screw-(type I)	4.5 x 68mm	TA	guide wire: 1.5mm
28445070	Cannulated Headless Screw-(type I)	4.5 x 70mm	TA	guide wire: 1.5mm
28725008	Cannulated Headless Screw-(type II)	2.5 x 8mm	TA	guide wire: 0.8mm
28725009	Cannulated Headless Screw-(type II)	2.5 x 9mm	TA	guide wire: 0.8mm
28725010	Cannulated Headless Screw-(type II)	2.5 x 10mm	TA	guide wire: 0.8mm
28725011	Cannulated Headless Screw-(type II)	2.5 x 11mm	TA	guide wire: 0.8mm
28725012	Cannulated Headless Screw-(type II)	2.5 x 12mm	TA	guide wire: 0.8mm
28725013	Cannulated Headless Screw-(type II)	2.5 x 13mm	TA	guide wire: 0.8mm



28725014	Cannulated Headless Screw-(type II)	2.5 x 14mm	TA	guide wire: 0.8mm
28725016	Cannulated Headless Screw-(type II)	2.5 x 16mm	TA	guide wire: 0.8mm
28725018	Cannulated Headless Screw-(type II)	2.5 x 18mm	TA	guide wire: 0.8mm
28730012	Cannulated Headless Screw-(type II)	3.0 x 12mm	TA	guide wire: 1.1mm
28730014	Cannulated Headless Screw-(type II)	3.0 x 14mm	TA	guide wire: 1.1mm
28730016	Cannulated Headless Screw-(type II)	3.0 x 16mm	TA	guide wire: 1.1mm
28730018	Cannulated Headless Screw-(type II)	3.0 x 18mm	TA	guide wire: 1.1mm
28730020	Cannulated Headless Screw-(type II)	3.0 x 20mm	TA	guide wire: 1.1mm
28730022	Cannulated Headless Screw-(type II)	3.0 x 22mm	TA	guide wire: 1.1mm
28730024	Cannulated Headless Screw-(type II)	3.0 x 24mm	TA	guide wire: 1.1mm
28730026	Cannulated Headless Screw-(type II)	3.0 x 26mm	TA	guide wire: 1.1mm
28730028	Cannulated Headless Screw-(type II)	3.0 x 28mm	TA	guide wire: 1.1mm
28730030	Cannulated Headless Screw-(type II)	3.0 x 30mm	TA	guide wire: 1.1mm
28735016	Cannulated Headless Screw-(type II)	3.5 x 16mm	TA	guide wire: 1.1mm
28735018	Cannulated Headless Screw-(type II)	3.5 x 18mm	TA	guide wire: 1.1mm
28735020	Cannulated Headless Screw-(type II)	3.5 x 20mm	TA	guide wire: 1.1mm
28735022	Cannulated Headless Screw-(type II)	3.5 x 22mm	TA	guide wire: 1.1mm
28735024	Cannulated Headless Screw-(type II)	3.5 x 24mm	TA	guide wire: 1.1mm
28735026	Cannulated Headless Screw-(type II)	3.5 x 26mm	TA	guide wire: 1.1mm
28735028	Cannulated Headless Screw-(type II)	3.5 x 28mm	TA	guide wire: 1.1mm
28735030	Cannulated Headless Screw-(type II)	3.5 x 30mm	TA	guide wire: 1.1mm
28740016	Cannulated Headless Screw-(type II)	4.0 x 16mm	TA	guide wire: 1.2mm
28740018	Cannulated Headless Screw-(type II)	4.0 x 18mm	TA	guide wire: 1.2mm
28740020	Cannulated Headless Screw-(type II)	4.0 x 20mm	TA	guide wire: 1.2mm
28740022	Cannulated Headless Screw-(type II)	4.0 x 22mm	TA	guide wire: 1.2mm
28740024	Cannulated Headless Screw-(type II)	4.0 x 24mm	TA	guide wire: 1.2mm
28740026	Cannulated Headless Screw-(type II)	4.0 x 26mm	TA	guide wire: 1.2mm
28740028	Cannulated Headless Screw-(type II)	4.0 x 28mm	TA	guide wire: 1.2mm
28740030	Cannulated Headless Screw-(type II)	4.0 x 30mm	TA	guide wire: 1.2mm
28750025	Cannulated Headless Screw-(type II)	5.0 x 25mm	TA	guide wire: 1.5mm
28750030	Cannulated Headless Screw-(type II)	5.0 x 30mm	TA	guide wire: 1.5mm
28750035	Cannulated Headless Screw-(type II)	5.0 x 35mm	TA	guide wire: 1.5mm
28750040	Cannulated Headless Screw-(type II)	5.0 x 40mm	TA	guide wire: 1.5mm
28750045	Cannulated Headless Screw-(type II)	5.0 x 45mm	TA	guide wire: 1.5mm
28750050	Cannulated Headless Screw-(type II)	5.0 x 50mm	TA	guide wire: 1.5mm
28765035	Cannulated Headless Screw-(type II)	6.5 x 35mm	TA	guide wire: 2.0mm
28765040	Cannulated Headless Screw-(type II)	6.5 x 40mm	TA	guide wire: 2.0mm



28765045	Cannulated Headless Screw-(type II)	6.5 x 45mm	TA	guide wire: 2.0mm
28765050	Cannulated Headless Screw-(type II)	6.5 x 50mm	TA	guide wire: 2.0mm
28765055	Cannulated Headless Screw-(type II)	6.5 x 55mm	TA	guide wire: 2.0mm
28765060	Cannulated Headless Screw-(type II)	6.5 x 60mm	TA	guide wire: 2.0mm
28765065	Cannulated Headless Screw-(type II)	6.5 x 65mm	TA	guide wire: 2.0mm
28765070	Cannulated Headless Screw-(type II)	6.5 x 70mm	TA	guide wire: 2.0mm
28765075	Cannulated Headless Screw-(type II)	6.5 x 75mm	TA	guide wire: 2.0mm
28765080	Cannulated Headless Screw-(type II)	6.5 x 80mm	TA	guide wire: 2.0mm
28775040	Cannulated Headless Screw-(type II)	7.5 x 40mm	TA	guide wire: 2.5mm
28775045	Cannulated Headless Screw-(type II)	7.5 x 45mm	TA	guide wire: 2.5mm
28775050	Cannulated Headless Screw-(type II)	7.5 x 50mm	TA	guide wire: 2.5mm
28775055	Cannulated Headless Screw-(type II)	7.5 x 55mm	TA	guide wire: 2.5mm
28775060	Cannulated Headless Screw-(type II)	7.5 x 60mm	TA	guide wire: 2.5mm
28775065	Cannulated Headless Screw-(type II)	7.5 x 65mm	TA	guide wire: 2.5mm
28775070	Cannulated Headless Screw-(type II)	7.5 x 70mm	TA	guide wire: 2.5mm
28775075	Cannulated Headless Screw-(type II)	7.5 x 75mm	TA	guide wire: 2.5mm
28775080	Cannulated Headless Screw-(type II)	7.5 x 80mm	TA	guide wire: 2.5mm
28775085	Cannulated Headless Screw-(type II)	7.5 x 85mm	TA	guide wire: 2.5mm
28775090	Cannulated Headless Screw-(type II)	7.5 x 90mm	TA	guide wire: 2.5mm
28775095	Cannulated Headless Screw-(type II)	7.5 x 95mm	TA	guide wire: 2.5mm
28775100	Cannulated Headless Screw-(type II)	7.5 x 100mm	TA	guide wire: 2.5mm

